B & Z Library

B42

FAO Plant Protection Bulletin

A Publication of the

World Reporting Service on Plant Diseases and Pests

OHIO STATE UNIVERSITY
DEC 31 1962
LIBRARY

TABLE OF CONTENTS AND INDEX TO VOLUME NINE

October 1960 — December 1961

FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS
ROME

QB 599
F3
v.9
1960-61

TABLE OF CONTENTS

No. 1 - OCTOBER 1960

A status report on forest insect conditions in the United States in 1959, *J.W. Bongberg and W.H. Bennett* 1

Outbreaks and new records
India, Italy 11

Plant quarantine announcements
Netherlands, Republic of Senegal, Spain, Viet-Nam 12

News and notes 15

No. 2 - NOVEMBER 1960

Collaborative Pesticides Analytical Committee of Europe, *R. de B. Ashworth* 17

Recommended analytical methods for pesticides

1. Mercury in formulated or technical products, *Collaborative Pesticides Analytical Committee* 19

Outbreaks and new records
Italy 29

Plant quarantine announcements
Canada, Federal Republic of Germany, United Arab Republic (Syrian Region) 30

News and notes

No. 3 - DECEMBER 1960

A review of treatments of citrus fruits for control of Mediterranean fruit fly, *Frederic P. Hubert* 33

Internal spotting, a new disease of coconut, *Karl Maramorosch, Hans Rothkirch and Bernardo S. Castillo* 37

Pear decline disease and its apparent southward spread along the Pacific coast of North America, *Carl W. Nichols and Thomas A. Shalla* 43

Plant quarantine announcements
Brazil, Guatemala, Netherlands

No. 4 - FEBRUARY 1961

Identification of aphids living on *Citrus*, *H.L.G. Stroyan* 45

Plant quarantine announcements
Eastern Germany 66

No. 5 - APRIL 1961

Melcha ornatipennis : Its occurrence in South India and a method for its laboratory multiplication, *V.P. Rao and S. Krishnaswamy* 69

Occurrence of bunchy top diesase of banana in the Philippines, *B.S. Castillo and A.L. Martinez* 74

Apate Monachus in Israel, *I. Peretz and Michael Cohen* 76
Recommended analytical methods for pesticides
2. Determination of sulphur in colloidal sulphur 80
3. Determination of sulphur in dispersible sulphur 82
4. Determination of particle size distribution in colloidal and dispersible sulphurs 83
Collaborative Pesticides Analytical Committee
Outbreaks and new records
Jamaica, Nicaragua, Pakistan 85
Plant quarantine announcements
Belgium, Mauritius, Spain, Venezuela 87
News and notes 90

No. 6 - JUNE 1961

World citrus problems
I. Aden Protectorate, *L.C. Knorr, E.C. Paterson and J.H. Proctor* 91
Sorghum red stripe disease in Yugoslavia, *Osvaldo Lovisolo and Milivoje Ácimović* 99
Recommended analytical methods for pesticides
5. Determination of the particle size of micronized sulphurs, *Collaborative Pesticides Analytical Committee* 103
Outbreaks and new records
Ceylon, Federation of Rhodesia and Nyasaland, French Polynesia, Ghana 109
Plant quarantine announcements
Nicaragua 112
News and notes 113

No. 7 - AUGUST 1961

World citrus problems
II. The Gaza strip, *L.C. Knorr and Walter Ebeling* 115
Stalk and root rots of maize in the United Arab Republic, *K.A. Sabet, A.S. Samra, M.K. Hingorani and I.M. Mansour* 121
Recommended analytical methods for pesticides
6. Evaluation of wetting agents, *Collaborative Pesticides Analytical Committee* 126
Outbreaks and new records
Pakistan, Peru, Venezuela, Yugoslavia
Plant quarantine announcements
Chile, Italy, Netherlands, Nicaragua, Turkey, United Kingdom, United States, U.S. Trust Territories of the Pacific Islands 133
News and notes 138

No. 8 - OCTOBER 1961

Does cadang-cadang disease spread from diseased to healthy coconut trees? *Francis O. Holmes* 139
Calligypona marginata, the vector of maize rough dwarf virus, *I. Harpaz* 144
Correlation of cadang-cadang disease in coconut and certain diseases in weeds, *Francis O. Holmes* 148

76 Recommended analytical methods for pesticides
7. DDT Technical, *Collaborative Pesticides Analytical Committee* 153
80 Outbreaks and new records
82 Israel 157
83 Plant quarantine announcements
Australia, Federation of Malaya, France (Algeria), Sweden, United States 158
News and notes 162
85

No. 9 - DECEMBER 1961

87
90 Mathematical treatment of the rate of loss of pesticide residues, *W.M. Hoskins* 163
Ratoon-stunting disease of sugar cane in the United Arab Republic, *F. Nour-Eldin, M.A. Tolba, M.T. Elbanna and S.H. Farrage* 169
Recommended analytical methods for pesticides
8. Determination of MCPA by the use of liquid/liquid chromatography, *Collaborative Pesticides Analytical Committee* 173
91
99 Outbreaks and new records
Canada, Kenya 181
Plant quarantine announcements
103 France, Gilbert and Ellice Islands, Iraq, Luxembourg, United Kingdom (England and Wales, Scotland) 185
109
112
113
115
121
126
133
138
139
144
148

INDEX

Abaca, bunchy top disease, Philippines, 74
Aceria sheldoni, citrus, Aden, 97
Ácimović, M., 99, 132
Acleris variana, spruce, United States, 1, 6
Ageratum conyzoides, virus disease, Ceylon, 110
Alder, pests, United States, 8
Aleurocanthus woglumi, citrus, Aden, 97
Allium sativum, see onion
Amphrophora parallela, pine, United States, 10
A. saratogensis, forest trees, United States, 10
Angrilus anxius, poplar, United States, 6
A. liragus, poplar, United States, 6
Aonidiella aurantii, citrus, Aden, 97 ; Gaza Strip, 119
A. citrina, citrus, Aden, 97
Apates monachus, fruit trees, Israel, 76
A. monachus var. *rufiventris*, Italy, 76
Aphis abietina, spruce, United States, 9
A. craccivora, identification, 46, 49, 63 ; citrus, Aden 96 ; Gaza Strip, 119
A. frangulae, see *A. gossypii*
A. gossypii, identification, 46, 49, 62 ; tristeza vector, 85 ; citrus, Aden 95, 96 ; Gaza Strip, 118, 119
A. nerii, citrus, 65
A. spiraecola, identification, 46, 49, 63
A. pomi, 63
A. tavarosi, see *Toxoptera citricidus*
Aphrophora parallela, United States, 2
A. saratogensis, pine, United States, 2
Archips agryrospila, aspen, United States, 6
A. conflictana, aspen, United States, 6
Argyresthia sp., pine, United States, 7
Argyrotaenia dorsalana, fir, United States, 6
Ashworth, R. de B., 17
Aspen, pests, United States, 6
Aspidiotus destructor, distribution, French Polynesia, 111
Atta texana, pine, United States, 10

Bacterium lathyri, maize, United Arab Republic, 121
Balclutha hebe, Israel, 144
Banana, bunchy top disease, Philippines, 74
Barbara colfaxiana, Douglas-fir, United States, 10
Bazán de Segura, C., 130
Beech, pests, United States, 10
Bemisia tabaci, citrus, Aden, 97
Bennett, W.H., 1
Berg, G.H., 85
Black locust, pest, United States, 6
Blissus leucopterus, occurrence, Venezuela, 131
Blue mold of tobacco in Europe, 15
Bongberg, J.W., 1
Boselli, F., 11
Brachystegia spiciformis, pest, Rhodesia and Nyasaland, 110
Brevipalpus obovatus, citrus, Aden, 97
B. phoenicis, citrus, Aden, 97
Brontispa longissima, coconut, French Polynesia, 110
Bud union crease, citrus, Aden, 96
Cadang-cadang disease, coconut, Philippines, 139, 148
Calligypona marginata, vector of maize rough dwarf virus, Israel, 144
C. propinqua, vector of maize rough dwarf virus, Israel, 145
Castilleja sp., host of *Peridermium stalactiforme*, Canada, 182
Castillo, B.S., 37, 74
Catalpa, aphids, 63
Ceratitis capitata, citrus, 33 ; Gaza Strip, 119
Ceroplastes sp., citrus, Gaza Strip, 119
Chermes abietis, spruce, United States, 9
C. cooleyi, spruce, United States, 9
C. piceae, fir, United States, 1, 3, 9
Chilo zonellus, for breeding *Melcha ornatipennis*, 72
Chilotraea infuscatellus, for breeding *Melcha ornatipennis*, 72
Chilotraea sp., rice, Israel, 157
Chloriona furcifera, rice, India, 11
Choristoneura fumiferana, spruce, United States, 1, 2, 3, 6
C. pinus, pine, United States, 2, 6
Choristoneura spp., pine, United States, 6
Chrysomphalus aonidum, citrus, Gaza Strip, 119
Cicadulina bipunctella, Israel, 144
Ciccarone, A., 11
Ciferri, R., 29
Cinara sp., fir, United States, 9
Citrus, aphids, identification, 45-65 ; *Ceratitis capitata*, 33 ; pests and diseases, Aden, 91-98 ; Gaza Strip, 115-120 ; tristeza, Jamaica, 85
Citrus aurantifolia, diseases and pests, Aden, 95-97 ; for tristeza test, 85 ; pests, Gaza Strip, 119
Citrus aurantium, pests, Aden, 97
C. paradisi, pests, Gaza Strip, 119
C. sinensis, pests, Aden, 97 ; Gaza Strip, 119
Cnicus wallichii, *Pyrausta nubilalis*, Pakistan, 86
Coconut, disease, Philippines, 37, 139, 148 ; pest, French Polynesia, 110
Coffee, disease, Peru, 130
Cohen, M., 76
Cohic, F., 110
Coleophora laricella, larch, United States, 2, 8
Coloradia pandora, pine, United States, 2, 8
Conophthorus lambertianae, pine, United States, 10
Conophthorus spp., pine, United States, 10
Corcyra cephalonica, for breeding *Melcha ornatipennis*, 72
Corynebacterium michiganense, tomato, Italy, 11
Cronartium comptoniae, pine, Canada, 181
C. ribicola, 182
Cryptococcus fagi, beech, United States, 10
Cylindrocopturus catoni, pine, United States, 5
Cynodon dactylon, host of *Calligypona marginata*, Israel, 144
Cyperus rotundus, host of *Calligypona marginata* Israel, 144

P.P. 1-4 T.P. & CONTENTS

Delphacodes striatella, see *Calligypona marginata*
Deltocephalus striatus, vector of winter wheat mosaic virus, 146
Dendroctonus barberi, pine, United States, 3
D. borealis, spruce, United States, 1, 3, 5
Dendroctonus brevicomis, pine, United States, 1
D. convexifrons, pine, United States, 3
D. engelmanni, pine, United States, 2, 4
D. frontalis, pine, United States, 2, 4
D. jeffreyi, spruce, United States, 1, 2, 4
D. monticolae, pine, United States, 1, 2, 3
D. parallelocollis, pine, United States, 3
D. ponderosae, pine, United States, 2, 4
D. pseudotsugae, Douglas-fir, United States, 1, 4
Dendroctonus spp., pine, United States, 1
D. terebrans, forest trees, United States, 3, 4
Dendrocygna bicolor, various crops, Africa, 16
D. viduata, various crops, Africa, 16
Diatraca saccharalis, biological control, 69
Dicerca tenebrica, poplar, United States, 6
Dioryctria abietella, Douglas fir, United States, 10
Dioryctria spp., pine, United States, 10
D. zimmermani, pine, United States, 9
Diprion spp., pine, United States, 2
Douglas-fir, pests, United States, 1

Elbanna, M.T., 169
Elephantopus mollis, possible host of cadang-cadang, Philippines, 149
Elm, pests, United States, 3
Ennomos subsignarius, elm, United States, 3, 8
Erythroneura coacta, Israel, 144
Eucosma gloriola, pine, United States, 9
Eulype hastata, United States, 1, 7
Eupatorium cannabinum, aphids, 63
European Committee for Co-operation in Fruit Tree Virus Diseases, 90
European Symposium on Fruit Tree Virus Diseases, 162
Eutetranychus orientalis, citrus, Aden, 97
Exoteleia pinifoliella, pine, United States, 7

FAO meetings, 113
Farrage, S.H., 169
Fenusa pusilla, birch, United States, 10
Ferrisiana virgata, citrus, Aden, 97
Fir, pests, United States, 2
Forest trees, pests, United States, 1-16
Formica exsectoides, pine, United States, 10
Fovea, citrus, Gaza Strip, 118
Fusarium moniliforme, maize, United Arab Republic, 121, 123, 124
Fusarium spp., maize, United Arab Republic, 121, 123

Galenara consimilis, fir, United States, 8
Gangrade, G.A., 11
Ghaffar, A., 130
Ghani, M.A., 86
Glucobius speciosus, poplar, United States, 6
Gnorimoschema operculella, for breeding *Melcha ornatipennis*, 72
Graham, J.F., 182
Guagliumi, P., 131

Hadrotrichum sorghi, sorghum, Yugoslavia, 132
Harpaz, I., 144
Hemerocampa pseudotsugata, Douglas-fir, United States, 2, 7
Hemerocampa spp., United States, 2
Helmlock, pests, United States, 6
Hingorani, M.K., 121
Holmes, F.O., 139, 148
Homadaula albizziae, mimosa, United States, 10
Hoskins, W.M., 163
Hubert, F.P., 33
Hylobius pales, forest trees, United States, 6
H. radicis, forest trees, United States, 6
H. warreni, forest trees, United States, 6
Hyphantria cunea, forest trees, United States, 10

International Horticultural Congress, 162
International meetings on coffee and banana, 90
International Plant Protection Convention, 15, 32, 138
International Nematology Symposium, 90
International Seed-testing Association, 138
Ips avulsus, United States, 3, 5
I. calligraphus, United States, 5
I. grandicollis, United States, 5
I. interpunctus, United States, 5
I. oregonis, pine, United States, 5
I. pini, United States, 5
I. ponderosae, United States, 5
Ips spp., United States, 1, 2

Knorr, L.C., 91
Krishnaswamy, S., 69

Laphygma exempta, see *Spodoptera exempta*
L. frugiperda, rice, Nicaragua, 86
Larch, pests, United States, 2
Lechriolepis nephopyropa, pines, Rhodesia and Nyasaland, 110
Leucospis dorsigera, predator of *Apate monachus*, Israel, 79
Limosa limosa, various crops, Africa, 16
Lovi, N.K., 111
Lovisolo, O., 99, 132

Macrophomina phaseoli, onion, Pakistan, 130
Macrosiphoniella citricola, citrus, 65
Macrosiphum euphorbiae, identification, 46, 47, 62
M. fragariae, Israel, 144
Maize, rough dwarf virus, 144; stalk and root rots, United Arab Republic, 121
Malachra capitata, possible host of cadang-cadang, Philippines, 149
Malacosoma americanum, United States, 8
M. disstria, United States, 3, 8
M. fragile, aspen, United States, 8
M. pluviale, alder, United States, 8
Mansour, I.M., 121
Maramorosch, K., 37
Martinez, A.L., 74
Megacyllene robiniae, black locust, United States, 6
Melanophila californica, United States, 6
M. fulvoguttata, hemlock, United States, 6
Melcha ornatipennis, breeding, India, 69
Microbracon brevicornis, 72
M. hebetor, 72
Mimusops commersonii, disease, Ghana, 111
M. elengi, disease, Ghana, 111

Musa textilis, see abaca
Myrica gale, host of *Cronartium comptoniae*, Canada, 181
Myzus persicae, citrus, Gaza Strip, 119; identification, 46, 47, 62; virus vector, Ceylon, 109

Nectarosiphon persicae, see *Myzus persicae*
Neodiprion abietis, United States, 7
N. americanus banksianae, United States, 7
N. burkei, pine, United States, 7
N. exitans, pine, United States, 3, 7
N. leucontei, pine, United States, 3, 7
N. nanulus, United States, 7
N. pinetum, pine, United States, 7
N. pini-rigidae, pine, United States, 7
N. pratti pratti, pine, United States, 3, 7
N. sertifer, pine, United States, 7
Neodiprion spp., pine, United States, 2 3; Douglas-fir, United States, 7
N. swainei, United States, 7
N. taedae linearis, United States, 7
N. tsugae, spruce, United States, 1, 7
Neophasia menapia, pine, United States, 8
Nichols, C.W., 39
Nour-Eldin, M.A., 169
Nuculaspis californica, pine, United States, 2, 9

Oidiopsis taurica, pepper, Peru, 131
Oligonychus milleri, pine, United States, 3, 10
O. ununguis, spruce, United States, 10
Onion, disease, Pakistan, 130
Orgyia basalis, pine, Rhodesia and Nyasaland, 110

Pachystethus oblivia, pine, United States, 10
Panicum crus-galli, sorghum red stripe, Yugoslavia, 99
P. maximum, pest, Venezuela, 131
P. purpurascens, pest, Venezuela, 131
Passiflora foetida, possible host of cadang-cadang, Philippines, 149
Paterson, E.C., 91
Pear, decline, United States, 39
Pectobacterium carotovorum, maize, United Arab Republic, 121
P. carotovorum f. *zeae*, maize, United Arab Republic, 121, 124
Peiris, J.W.L., 109
Pentalonia nigronervosa, virus vector, Philippines, 74
Pepper, disease, Peru, 131
Peretz, I., 76
Peridermium stalactiforme, pine, North America, 181
Peronospora tabacina, tobacco, Europe, 15; Italy, 29
Phantia subquadrata, Israel, 144
Phyllocnistis citrella, citrus, Aden, 97
Phyllocnistis sp., citrus, Aden, 96
Phyllocoptruta oleivora, citrus, Gaza Strip, 119
Phytopathologia Mediterranea, a new international journal, 32
Phytophthora, citrus, Aden, 98; Gaza Strip, 119
Pine, pests, Rhodesia and Nyasaland, 110; United States, 1
Pineus pinifoliae, pine, United States, 9
Pinus banksiana X *contorta*, free from sweetfern blister rust, Canada, 181
P. caribae, pests, Rhodesia and Nyasaland, 110
P. echinata X *taeda*, free from sweetfern blister rust, Canada, 181
P. muricata, sweetfern blister rust, Canada, 181
P. nigra, free from sweetfern blister rust, Canada, 181
P. patula, pests, Rhodesia and Nyasaland, 110
P. pinaster, free from sweetfern blister rust, Canada, 181
P. radiata, sweetfern blister rust, Canada, 181
P. rigida X *taeda*, free from sweetfern blister rust, Canada, 181
P. tedae, pests, Rhodesia and Nyasaland, 110
Piricularia oryzae, rice, Nicaragua, 86
Pissodes engelmanni, spruce, United States, 5
P. strobi, pine, United States, 3, 5
P. terminalis, pine, United States, 6
Plaut, H.N., 157
Plectopterus gambiensis, various crops, Africa, 16
Poplar, pest, United States, 6
Porthetria dispar, forest trees, United States, 8
Pristiphora erichsonii, larch, United States, 2
Proceras indicus, for breeding *Melcha ornatipennis*, 72
Proctor, J.H., 91
Prunus mahaleb, decline, United States, 39
Psamotettix striatus, see *Deltocephalus striatus*
Pseudocaecilius sp., citrus, Aden, 97
Pseudoelephantopus spicatus, possible host of cadang-cadang, Philippines, 149
Pseudohylesinus grandis, fir, United States, 5
P. granulatus, fir, United States, 5
Psorosis, citrus, Aden, 96; Gaza Strip, 118
Pterochloroides persicae, citrus, 65
Puto sp., spruce, United States, 9
Pyrausta nubilalis, *Cnicus wallichii*, Pakistan, 86
Pyrus calleryana, decline, United States, 42
P. communis, decline, United States, 42
P. serotina, decline, United States, 42
P. ussuriensis, decline, United States, 42

Quarantine legislation, Australia, 158; Belgium, 87; Brazil, 43; Canada, 30; Chile, 133; Eastern Germany, 66; Federal Republic of Germany, 31; Federation of Malaya, 158; France, 159, 185; Gilbert and Ellis Islands, 185; Guatemala, 43; Iraq, 185; Italy, 135; Luxembourg, 186; Mauritius, 87; Netherlands, 12, 43, 136; Nicaragua, 112, 136; Senegal, 12; Spain, 14, 88; Sweden, 160; Turkey, 136; United Arab Republic, 31; United Kingdom, 136, 186; United States, 137, 161; United States Trust Territories of the Pacific Islands, 137; Venezuela, 89; Viet-Nam, 14
Quelea, various crops, Africa, 16

Rao, V.P., 69
Recurvaria milleri, pine, United States, 2, 6
Recurvaria spp., pine, United States, 2
Rhamnus, aphids, 63
Rhizoctonia bataticola, maize, United Arab Republic, 121, 123, 124
Rhizomorpha corynephora, coffee, Peru, 131
Rhopalosiphum maidis, vector of sorghum red stripe, Yugoslavia, 99; Israel, 144
Rhyacionia buoliana, pine, United States, 1, 2, 3, 9
R. frustrana, pine, United States, 3, 9

R. rigidana, pine, United States, 9
Rhyacionia sp., pine, United States, 9
Rice, hoja blanca, Nicaragua, 85 ; pest, India, 11 ; Israel, 157
Rothkirch, H., 37

Sabet, K.A., 121
Samra, A.S., 121
Saperda calcarata, poplar, United States, 6
S. concolor, poplar, United States, 6
Sarkidiornis melanotos, various crops, Africa, 16
Schizaphis graminum, Israel, 144
Scirpophaga albinella, biological control, India, 69
S. innotata, biological control, India, 69
S. intacta, biological control, India, 69
S. nivella, biological control, India, 69
Scolytus multistriatus, elm, United States, 5
Scolytus spp., fir, pine, United States, 2
S. unispinosus, Douglas-fir, United States, 5
S. ventralis, fir, United States, 5
Shalla, T.A., 39
Siddiqui, Z.A., 130
Sitobion avenae, Israel, 144
Sogata orizicola, vector of hoja blanca, Nicaragua, 85
S. pallescens, see *Chloriona furcifera*
Sogatella furcifera, see *Chloriona furcifera*
Sorghum, disease, Yugoslavia, 132 ; red stripe, Yugoslavia, 99
Sorghum halepense, disease, Yugoslavia, 132 ; red stripe, Yugoslavia, 99-101
S. sudanense, red stripe, Yugoslavia, 100, 101
S. vulgare, red stripe, Yugoslavia, 99-101
Spiraea, aphids, 63
Spodoptera exempta, outbreak, Kenya, 182
Spruce, pests, United States, 1
Stachytarpheta jamaicensis, possible host of cadang-cadang, Philippines, 149
Stell, G., 85
Stoebe vulgaris, pest, Rhodesia and Nyasaland, 110
Stroyan, H.L.G., 45
Stubborn, citrus, Gaza Strip, 118
Sugar cane, ratoon-stunting, United Arab Republic, 169
Sympiesis sp., citrus, Aden, 97
Symposium on weaver birds in Africa, 16
Synedrella nodiflora, possible host of cadang-cadang, Philippines, 149

Tetraneura ulmi, 144
Tobacco, blue mold, Europe, 15 ; virus disease, Ceylon, 109
Tolba, M. A., 169
Tomato, disease, Italy, 11
Toumeyella numismaticum, pine, United States, 10
Toxoptera aurantii, citrus, Gaza Strip, 118, 119 ; identification, 46, 64
Toxoptera citricidus, identification, 46, 48, 64 ; tristeza vector, 85, 95, 96, 118
T. graminum, see *Schizaphis graminum*
T. odinae, citrus, 65
Trachysphaera fructigena, *Mimusops* spp., Ghana, 111
Tristeza, citrus, Aden, 94 ; Gaza Strip, 118 ; Jamaica, 85
Turner, P.D., 111

Whellan, J.A., 110

Xyloporosis, citrus, Aden, 92 ; Gaza Strip, 117

Ziller, W.G., 181

ERRATA

(The line numbers do not take account of titles and headings)

Page									
Page	15	column	1,	line	20	read	*Peronospora*	for	*Peronospera*
"	16	"	2,	"	25	"	roost	"	roots
"	16	"	2,	"	28	"	trypanosomes	"	tryponosomes
"	39	name of author				"	Shalla	"	Shella
"	99	column	1,	line	22	"	in heavily affected fields on	"	in heavily affected fields of
"	99	"	2,	"	5	"	The identity of the causal virus in *P. crus-galli* was not determined	"	The identity of the causal virus in these two hosts was not determined
"	100	"	2,	"	4	"	This was probably due to the fact that the infection took place long after the panicles had been formed, for young leaves did not show any necrosis and the stripes on older leaves were still bright red, indicating recent infection	"	This was probably due to the fact that the infection took place long after the panicles had been formed, and consequently young leaves did not show any necrosis and the stripes on older leaves were bright red.
"	101	"	2,	"	42	"	resistance to the virus	"	resistance to the infestation of *R. maidis*
"	132	"	1,	"	5	"	This confirms the presence of fungus in Yugoslavia	"	This fungus had not previously been reported from Yugoslavia